

SLOT 1



SLOT 1 pendant pattern in black with flush lens

Technology is evolving. It is changing the way we work and how we interact with our surroundings. This evolution creates more opportunities and presents more complex challenges to solve. Aesthetics, quality, and tailored control of light are critical to delivering a comprehensive solution for your lighting design.

Your aspiration? A simple solution.

A SIMPLE LINE OF LIGHT



SLOT 1 recessed pattern and SLOT 1 dual-source pendant in custom color with 1-in drop lens

SLOT 1 is thoughtfully crafted, linear lighting inspiring specifiers to make their most creative visions a reality.

Your design is thoughtful. The lighting should be too.

Draw your vision with a clean, polished luminaire that empowers you with superior optical performance and greater control over distribution – now in a smaller form factor.

Inspire elegance with clean visuals that complement any architectural design, making a design trend your own.



Available in recessed, pendant, surface, and wall mount, SLOT 1 is a full family of linear lighting solutions. Use SLOT 1 to create linear designs or configure intersections to create open or closed patterns. With its sleek, small form factor, SLOT 1 delivers brilliant illumination with exceptional visual comfort and the color quality you've been waiting for – at 90 CRI.


SLOT 1 offers a variety of lenses and shielding options including top glow, baffles, flush, edge view, or drop lenses. SLOT 1 is available in satin white, satin black, and satin silver finishes, or choose from a custom RAL finish.

Direct source distributions include asymmetric, batwing, Lambertian, wall graze, and wall wash options, providing 200 to 1000 lumens per foot.

Indirect source distributions include asymmetric, batwing, and Lambertian, providing 400 to 1200 lumens per foot.

SURFACE & RECESSED

In its surface mount and recessed forms, SLOT 1 provides direct illumination.



Regressed lens and deep cell baffle options conceal the light source and deliver a comfortable, natural distribution. Baffles are available in black, white, and specular silver.



PENDANT & WALL


In its pendant and wall mount forms, SLOT 1 offers single and dual-source configurations.




Top glow indirect shielding utilizes a recessed vertical aperture to create a unique, glowing aesthetic along the upper edge of the luminaire.




DIFFUSER OPTIONS AND SHIELDING FOR PENDANT, SURFACE AND WALL FORMS




Quiet Ceiling Baffle (White)




Quiet Ceiling Baffle (Black)




Quiet Ceiling Baffle (Specular Silver)




.5-inch Drop Lens




1-in. Drop Lens




1.5-in. Drop Lens



Flush Lens



Top Glow with Flush Lens



Edge-view Lens

POWER AND CONTROL

SLOT 1 uniquely offers the ability to choose the power and control system that is right for your application. The simplicity of an integral driver supports a traditional 0-10v control strategy or the centralized control of our Modulus system. Together, they offer tailored choices that are unmatched.

Modulus™ low voltage distributed power and control provides digital control and networked solutions. SLOT 1 delivers a greater granularity of control compared to other linear lighting solutions.

Modulus simplifies system design and installation, providing one power drop for every 32 feet of luminaire, regardless of control strategy.

Delivering up to 16 addressable control channels, Modulus enhances flexibility. Configure or supplement multiple independent emergency lighting segments without additional power.



SLOT 1 dual-source linear pendant with top glow indirect aperture and flush lens direct

EMERGENCY RESPONSE



Integral driver emergency layout that only lights the path of egress and exits from the building, which meet the minimum safety requirements.



Emergency layout with Modulus allows for a more balanced approach to emergency lighting, with the ability to specify all or multiple lit sections for a more uniform distribution.

Delivering up to 16 channels of addressable control, including emergency lighting, Modulus enhances flexibility. Configure or supplement multiple independent emergency illuminated sections without adding another power drop.

DESIGN FREEDOM, ONE INCH AT A TIME

Utilizing available crosses, tees, and angled connections, SLOT 1 delivers the design flexibility to enable your most complex patterns.

Wall and recesses luminaires can be specified to the inch, simplifying design, and unleashing your vision.



SLOT 1 dual-source pendant pattern in black with flush lens and SLOT 1 recessed pattern with flush lens



SLOT 1 recessed linear with flush lens

CREATE AN EXPERIENCE WITH ADVANCED DIMMING CAPABILITY

TUNABLE WHITE

Dynamic tunable white enables occupants to adjust color temperatures to align with different activities, times of day, or environments.

NLIGHT®

nLight is your network lighting controls system that is easy to specify, install, and use. With nLight, you can control indoor and outdoor spaces seamlessly while reducing energy costs, improving occupant comfort, and much more.



SLOT 1 indirect pendant pattern in black



The product images shown are for illustration purposes only and may not be an exact representation of the product.