


MARK ARCHITECTURAL LIGHTING™



Whisper
LED Series

Artfully Designed for Elegance and Functionality



The Whisper LED Series is artistically designed with gently sloping side panels for depth and appealing angles. Whether the luminaires are installed in rows or individually, the look is soft, clean and simple. The Whisper LED boasts multiple aesthetics, lumen packages, and controls allowing it to be tailored to any space to create a beautiful and functional environment. The combination of offerings compose a diverse yet cohesive family suited for elegant architectural spaces.

The Whisper LED Series incorporates state of the art Tunable White and nLight® networked digital lighting controls, equipping Whisper to service today's lighting requirements as well as tomorrows! The Whisper is perfectly suited for a variety of business and institutional settings including offices, schools and hospitals.

Key Features:


- Unmatched lumen packages: Ranging from 2000lm to 8500lm. Available 3000K, 3500K, 4000K, 5000K
- Design flexibility: With two luminous aesthetics, the Whisper maintains a quiet ceiling while enabling increased freedom during design
- nLight® digital lighting controls; wired or wireless (nLight® AIR)
- Industry-leading dimming control: eldoLED constant current driver offers smooth, flicker-free dimming to less than 1%
- Tunable White – Productivity Range (3000K to 5000K) as well as Rhythm range (2700K to 6500K)
- A+ Capable: Configurations support A+ Certified Solution



Whisper LED Series with optional nLight® Integrated Controls

The Whisper LED Series luminaires are available with integrated nLight networked digital lighting controls; either wired or wireless. The nLight networked digital lighting control system can be specified as nLight enabled for compatibility with the entire suite of nLight devices.

nLight® AIR is a wireless lighting control solution that is Simple, Secure and Scalable. The nLight AIR occupancy and daylight sensor is integrated in the Whisper luminaire simplifying installation since there is only 1 component to install in the ceiling, the luminaire! The wireless battery-powered nLight AIR wall switches offer many configurations for a range of control and scene options to complement any space. System start-up is easy with the nLight AIR **CLAIRITY** mobile app.



Tunable White with nLight Controls



Mainstream Dynamic Tunable White

Mainstream Dynamic allows you to transform your everyday spaces with features like Tunable White which enables the creation of scenes and modes that can be aligned with key activities. When features like Tunable White are deployed on our nLight network, we call it nTune, which allows nLight to control color temperature along with motion detection and daylight harvesting.

nLight® supports Tunable White through nTune luminaires

- Simple plug & play installation by utilizing the nLight network
- Adjust to any CCT in the Productivity Range 3000K-5000K or Rhythm Range 2700K-6500K
- Customize your application with SensorView
- Available WallPod options for custom button naming and out-of-box tunable white control



A+ Capable configurations compatible with A+ certified solutions. A+ Certified solutions from Acuity Brands help you quickly and confidently select and implement lighting

systems, for indoor or outdoor applications, that are both compatible and consistent.

For lighting applications, A+ means verified consistent performance, visual appearance and system interoperability of all luminaires and controls within the certified solution. For lighting professionals, it means confidence that all parts of the lighting system will work together and meet common Acuity Brands specifications.

Go to www.acuitybrands.com/aplus or contact your local Acuity Brands representative for more information.



MARK ARCHITECTURAL LIGHTING™

marklighting.com

**MAINSTREAM
DYNAMIC**
BY ACUITY BRANDS™